V O Y G E

TOWARDS

THENORTHPOLE

UNDERTAKEN

BY HIS MAJESTY'S COMMAND

T 7 7 3

BY CONSTANTINE JOHN PHIPPS

LONDON;

PRINTED BY W. BOWYER AND J. NICHOLS,

FOR J. NOURSE, BOOKSELLER TO HIS MAJESTY,

IN THE STRAND.

MDCCLXXIV.

NATURAL HISTORY.

and the multiplicity of occupations, in which I was necessarily employed, during the greatest part of that time, rendered it impossible for me to make many observations on its natural productions; yet as there are among those few some which have not before been made public, I am in hopes that this article will not be found wholly unprofitable. The following catalogue, impersect as it is, may serve to give a general idea of the sparing productions of that inhospitable climate.

As modern naturalists have formed the technical terms of their science out of the Latin, it becomes necessary to make some use of that language, in order to render the descriptions of such things as are new, intelligible to those for whose use they are intended: I shall always, however, annex English names to the scientifick ones, when such are to be found.

MAMMALIA.

MAMALIA.

TRICHECHUS Rosmarus, Linn. Syst. Nat. 49. 1.

Arctick Walrus. Penn. Syn. Quadr.

p. 335. French ad, p. 187

This animal, which is called by the Russians Morse, from thence by our seamen corruptly Sea Horse, and in the Gulph of St. Lawrence Sea Cow, is found every where about the coast of Spitsbergen, and generally where-ever there is ice, though at a distance from the land. It is a gregarious animal, not inclined to attack, but dangerous if attacked, as the whole herd join their forces to revenge any injury received by an individual.

Pноса Vitulina. Linn. Syst. Nat. 56. 3. Пол. ed. p. 18 8
Common Seal. Penn. Syn. Quadr. p. 339.
Found on the coast of Spitsbergen.

CANIS Lagopus. Linn. Syst. Nat. 95. 63. Fred. p. 188 Arctick Fox. Penn. Syn. Quadr. p. 155.

Found on the main land of Spitsbergen and islands adjacent, though not in any abundance. It differs from our Fox, besides its colour, in having its ears much more rounded. It smells very little. We ate of the slesh of one, and found it good meat.

URSUS

Ursus Maritimus. Linn. Syst. Nat. 70. 1. Fr. Ed. 18. 188
Polar Bear. Penn. Syn. Quadr. p. 192. T. 20. F. 1.

Found in great numbers on the main land of Spitsbergen; as also on the islands and ice fields adjacent. We killed several with our musquets, and the seamen ate of their slesh, though exceeding coarse. This animal is much larger than the black bear; the dimensions of one were as follows:

Length from the snout to the tail,	Feet.	Inches.
Length from the snout to the shoulder-bone,	2	3
Height at the shoulder,	<u>A</u> .	
Circumference near the fore legs,	7	0
Circumference of the neck close to the ear.	2	T
Breadth of the fore paw,	0	7
Weight of the carcass without head, skin	eta eta fin	
or entrails,	1 *	olb.

Cervus Tarandus. Linn. Syst. Nat. 93. 4.
Rein Deer. Penn. Syn. Quadr. p. 46. T. 8.
F. 1. Fr. sel. p. 189

Found every where on Spitsbergen.

We ate the flesh of one which we killed, and found it excellent venison.

Balaena Mysticetus. Linn. Syst. Nat. 105. 1. Fr. Ed. p. 190 Common Whale. Penn. Brit. Zool. p. 85.

Ff

This

APPENDIX.

This species, which is sought after by the fishermen in preference to all other whales, is found generally near the ice. We saw but sew of them during our stay.

BALAENA Physalus. Linn. Syst. Nat. 106. 2.

Fin Fish. Penn. Brit. Zool. p. 41. Fre. ed. p. 190

Found in the ocean near Spitsbergen.

A V E S.

Anas mollissima. Linn. Syst. Nat. 198. 15.

Eider Duck. Penn. Brit. Zool. p. 454.

Found on the coast of Spitsbergen.

Fred poly

Alca arctica. Linn. Syst. Nat. 211. 4.

The Puffin. Penn. Brit. Zool. p. 405. For. ed. p. 190

Found on the coast of Spitsbergen.

Alca Alle. Linn. Syst. Nat. 211. 5. Found on the coast of Spitsbergen in great abundance.

Procellaria glacialis. Linn. Syst. Nat. 213. 3.

The Fulmar. Penn. Brit. Zool. p. 431. For 16, 1919.

Found on the coast of Spitsbergen.

COLYMBUS Grylle. Linn. Syst. Nat. 220. 1. Found on the coast of Spitsbergen.

5

COLYMBIIS

Mild. 121/9/ Colymbus Troile. Linn. Syst. Nat. 220. 2. Found on the coast of Spitsbergen.

Colymbus glacialis. Linn. Syst. Nat. 221. 5. The great Northern Diver. Penn. Brit. Zool. p. 413.

Found on the coast of Spitsbergen.

Larus Rissa. Linn. Syst. Nat. 224. I. Found on the coast of Spitsbergen.

Out for the

Larus Parasiticus. Linn. Syst. Nat. 226. 10: The Arctick Gull. Penn. Brit. Zool. p. 420. Found on the coast of Spitsbergen.

Larus Eburneus, piveus, immaculatus, pedibus plumbeo-cinereis.

Found on the coast of Spitsbergen.

This beautiful bird is not described by Linnæus, nor, I believe, by any other author; it is nearly related indeed to the Rathsher, described by Marten in his voyage to Spitsbergen, (See page 77 of the English translation) but, unless that author is much mistaken in his description, differs essentially from it. Its place in the Systema Naturæ seems to be next after the Larus nævius, where the specifick difference given above, which will distinguish